



4 THREADED BARS 400A L1400/ LINERGY BS BB

04173

! Discontinued on: Mar 4, 2022 AD

! Discontinued

Main

| Range | Linergy |
|---------------------------|--|
| Range Of Product | Linergy |
| Product Or Component Type | Copper busbar |
| Product Name | Linergy BS |
| Range Compatibility | Prisma Prisma G enclosure Prisma Prisma P enclosure |
| Busbar Description | Flat bar |
| Quantity Per Set | Set of 4 |

Complementary

| Installation Direction | Vertical, operating position: rear |
|---------------------------------------|--|
| Installation Description | Cubicle - width 650 mm Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm |
| [Ui] Rated Insulation Voltage | 1000 V |
| [le] Rated Operational Current | 400 A |
| [lpk] Rated Peak Withstand Current | 55 kA |
| I ² T On Activation | 625000 kA².s |
| Busbar Cross Section | 32 x 5 mm |
| Length | 1400 mm |
| Net Weight | 8 kg |
| Type Of Busbar Connection | M6 threaded hole |
| Connection Pitch | Connection each 25 mm |
| Support Thickness | 5 mm |

Environment

| Standards | IEC 61439-1 IEC 61439-2 |
|------------------------|----------------------------|
| Product Certifications | ASEFA |

Packing Units

| Unit Type Of Package 1 | PCE | | | |
|------------------------|-----|--|--|--|
|------------------------|-----|--|--|--|

| Number Of Units In Package 1 | 1 |
|------------------------------|--------|
| Package 1 Height | 2.2 cm |
| Package 1 Width | 15 cm |
| Package 1 Length | 152 cm |
| Package 1 Weight | 8 kg |



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

| ② | Reach Free Of Svhc |
|----------|------------------------------------|
| ⊘ | Toxic Heavy Metal Free |
| ⊘ | Mercury Free |
| ⊘ | Rohs Exemption Information Yes |
| ⊘ | Halogen Free Plastic Parts Product |

Certifications & Standards

Eu Rohs Directive

| | EU RoHS Declaration |
|--------------------------|---|
| China Rohs Regulation | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | Product Environmental Profile |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Compliant