Product datasheet

Specifications

Green Premium™

Interface enclosure, Mureva Enclosure, 3 openings 90x100mm, (W) 138mm x (H) 460mm

13993

Main

Range	Mureva
Product Name	Mureva Enclosure
Product Or Component Type	Weatherproof enclosure
Enclosure Type	Interface enclosure
Mounting Plate Description	Without mounting plate

Complementary

Enclosure Mounting	Surface
Electrical Insulation Class	Class II Double insulation
Number Of Openings Of Interface	3
Number Of Plates	1 for 65 x 85 power outlets 3 for push-button controls
Provided Equipment	1 plate for 65 x 85 power outlet 3 plate for push-button control
Type Of Front Cover	Opaque
Number Of Pre-Cutouts Pg Iso	3
Enclosure Material	Self-extinguishing polymer
Base Dimension	90 x 100 mm
Width	138 mm
Height	460 mm
Depth	160 mm
Internal Depth	88 mm
Colour	Enclosure: light grey (RAL 7035)

Environment

Standards	EN 50262 IEC 60670 IEC 61439-3 IEC 60695-2-1
Fire Resistance	650 °C conforming to IEC 60695-2-1
Ip Degree Of Protection	IP65 conforming to IEC 60529
Ik Degree Of Protection	IK09 conforming to EN 50102
Environmental Characteristics (Uv)	UV resistant: class 3 conforming to ISO 4582:2010 Ultraviolet degradation test conforming to ISO 4892-2:2013

Overvoltage Category	II
Ambient Air Temperature For Operation	-25…60 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.5 cm
Package 1 Width	17.0 cm
Package 1 Length	47.0 cm
Package 1 Weight	1.31 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	66
Package 2 Height	80.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	98.46 kg

Contractual warranty

Warranty	18 months

Life Is On | Schneider Electric

Sustainability

Green Premium™

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Lower Impact Materials   Transparency   RoHS/REACh

Resource performance

✓ Minimum Percentage Of Recycled Plastic Content   26

Well-being performance

✓ Rohs Exemption Information   Yes

✓ Halogen Free Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations