Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



preformed cordset, Modicon M340, 40 way terminal, 2 x HE10 connector, 2m

BMXFCC203

Main

Range Of Product	Modicon X80
Accessory / Separate Part Type	Preformed cordset
Accessory / Separate Part Designation	Preformed cordset for Telefast Advantys ABE7 sub-bases
Accessory / Separate Part Destination	For I/O module with 40-way connectors
Number Of Cables	2
Electrical Connection	1 connector 40 ways 2 connectors HE10
Cable Length	2 m

Complementary

Total Number Of Wires	40
Wire Section	0.324 mm²
Net Weight	0.63 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	20.000 cm
Package 1 Length	26.000 cm
Package 1 Weight	624.000 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	9
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	5.924 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	144
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm

Package 3 Weight

102.980 kg

Contractual warranty

Warranty

18 months

Sustainability

Green Premium[™] label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Eu Rohs Directive China Rohs Regulation	
	EU RoHS Declaration